



















Such advanced research is expected to eventually contribute to the creation of a walking space design that minimizes the stress among pedestrians including the weak and elderly.

## REFERENCES

Yoda, I., & Onishi, M. (2010). A long-term comparison and visualization method of human flows in large complex facilities. *Journal of the Institute of Electronics Information and Communication (D)*, *I93-D(4)*, pp. 486-493.

Shimura, K., Ohtsuka, K., Vizzari, G., Nishinari, K., & Bandini, S. (2014). Mobility analysis of the aged pedestrians by experiment and simulation. *Pattern Recognition Letters*, *44*, 15 July, pp. 58-63.

Gorrini, A., Bandini, S., & Vizzari, G. (2014). Empirical investigation on pedestrian crowd dynamics and grouping. *Traffic and Granular Flow '13*, pp 83-91.

Asano, M., Kuwahara, M., & Tanaka, N. (2006). Microscopic pedestrian behavior model in congested conditions. *The 5th ITS Symposium*.

Yamashita, T., Soeda, S., Onishi, M., Yoda, I., & Noda, I. (2012). Development and application of high-speed evacuation simulator with one-dimensional pedestrian model. *Journal of Information Processing(JIP)*, *53(7)*, 1732-1744.

Yamamoto, A., & Yashiro, T. (2003). Proposal of pedestrian navigation system using vibration. *Information Processing Society Research Report Intelligent Transportation System (ITS)*, *56*, 55-62.

Amemiya, T., & H. Gomi, H. (2014). Active touch sensing of being pulled illusion for pedestrian route navigation. *The IEICE transactions on information and systems* *97(2)*, 260-269.